



員榮醫院高警訊藥品管理辦法

修訂日期 1010901

1. 目的：

預防不當使用高警訊藥品造成病人重大傷害，訂定本管理辦法，以確立高警訊藥品清單、儲存及給藥原則。

2. 分類：

依據 ISMP (Institute for Safe Medication Practices) 訂立高警訊藥品清單。

3. 名詞定義：

3.1 高警訊藥品：藥物在使用錯誤時，有很高的機率，對病人造成明顯傷害危險，稱其為高警訊（高危險）藥物。

4. 管理：

4.1 藥品儲存須標示標籤，並於藥袋上有特殊標記**警**以供辨識。

4.2 藥局調劑台、藥局庫存區、藥庫庫存區、護理站急救車之高警訊藥品，

應與一般藥品分區存放，以顯著紅底黑字體標籤、圖案標記做區隔**警藥**

名，並可視實際需求上鎖。

4.3 須冷藏之高警訊藥品應放置於專用冰箱，或與一般冷藏藥品分層存放，

且不得同時擺放非醫療物品。



4.4 高警訊藥品入、出庫前應詳細核對品名、規格、劑型、數量、效期，若有異常應立即反應處理。

4.5 每季由藥師查核護理站高警訊藥品儲存。

5. 給藥原則：

5.1 調劑作業

5.1.1 調劑高警訊藥品應詳細檢視處方箋及藥袋，並審核處方內容之完整性，包括劑量、劑型、用法、給藥途徑、適應症及藥物交互作用等。

5.1.2 對高警訊藥品用量及用法不清楚或有疑問時，應立即詢問處方醫師。

5.1.3 高警訊藥品調劑完成，應交由另一位藥師做確認覆核(double check)。若複核時發現錯誤，須立即改正，並做紀錄分析，避免錯誤連續發生。

5.2 給藥作業

5.2.1 交付藥品前，應再次確認高警訊藥品處方之正確性。包括劑量、劑型、用法、給藥途徑、適應症等。

5.2.2 給藥時應辨識病人基本資料與處方內容，覆核無誤後再交付病人藥品，並給予用藥指導。

5.2.3 給藥後，須於給藥治療記錄單或護理記錄單簽名。

5.2.4 已開瓶或稀釋未用完之高警訊藥品需註明床號、病人姓名、開瓶時間及有效期限、稀釋日期(必要時需註明稀釋量)，並妥善存放。



5.2.5 投予高警訊藥品時，若出現不良反應，應立即通知醫師即時處置，

後續依藥物不良反應流程通報。

5.3 追蹤檢討

5.3.1 處方、調劑、給藥等作業程序錯誤應於 24 小時內通報，並定期追蹤

檢討、提出解決方案。

5.3.2 提供高警訊藥品相關資料以供醫護人員、藥事人員查詢。

5.3.3 列入新進醫護人員訓練課程。



員榮醫院高警訊藥品品項表

| Classes/Categories of Medications | |
|--|---|
| 藥品代碼 | 藥品品項 |
| 01. adrenergic agonists, IV | |
| IBOSMI | Adrenalin(Epinephrine) 1mg/1ml/amp |
| IDOBUT | Utamine(Dobutamine) 250mg/20ml/vial |
| IDOPAM | Dopavate(Dopamine) 200mg/5ml/amp |
| IGIPAM | Gipamine(Dopamine) 600mg/200ml/bag |
| IEPHEDR | Ephedrine 40mg/1ml/amp |
| ILEVOP | Levophed(Norepinephrine) 4mg/4ml/amp |
| 02. adrenergic antagonists, IV | |
| IATROPI | Atropin 1mg/1ml/amp |
| ITRANDA | Trandate(Labetalol) 25mg/5ml/amp |
| 03. anesthetic agents, general, inhaled and IV | |
| ICITOSO | Citosol(Thiamylal Sodium) 300mg/amp |
| IDROPE | Dropel(Droperidol) 2.5mg/1ml/amp |
| IKETALA | Ketalar(Ketamine) 500mg/10ml/vial |
| ILIDO20 | Lidocaine 2% 20ml/vial |
| IPROPO | Provive(Propofol) 200mg/20ml/vial |
| ISOFLUR | Isoflurane 100ml/bot |
| 04. antiarrhythmics, IV | |
| IADENOC | Adenozer(Adenosine) 6mg/2ml/vial |
| ICORDAR | Cordarone(Amiodarone)150mg/3ml/amp |
| IXYLOC5 | Xylocaine(Lidocaine) 2% 5ml/amp |
| 05. antithrombotic agents | |
| IACTIL | Actilyse(Plasminogen Activator) 50mg/vial |
| IAGGRA | Aggrastat(Tirofiban) 12.5mg/50ml/vial |
| IFRAXIP | Fraxiprine(Nadroparin) 5700IU/0.6ml/amp |
| IHEPA02 | Agglutex(Heparin) 5000U/5ml/vial |
| IHEPA1 | Hepac(Heparin) 25000U/5ml/vial |
| IUROKI | Urokinase 60000IU/vial |
| ODABIG1 | Pradaxa(Dabigatran) 110mg/cap |
| ODABIGA | Pradaxa(Dabigatran) 150mg/cap |



| | |
|---|---|
| OWARFA | Mafarin(Warfarin) 5mg/tab |
| 06. cardioplegic solutions | |
| 07. chemotherapeutic agents, parenteral and oral | |
| IADRIB | Doxor Lyo(Doxorubicin) 10mg/vial |
| IBCGI00 | Immucyst(BCG) 81mg/3ml/vial |
| ILEUP00 | Leuplin Depot(Leuproelin Acetate) 3.75mg/vial |
| IMITO01 | Mitomycin-C 10mg/vial |
| OANDRO | Androcur(Cyproterone) 50mg/tab |
| OCASO00 | Casodex(Bicalutamide) 50mg/tab |
| OIRES00 | Iressa(Gefitinib) 250mg/tab |
| ONOLVAD | Nolvadex(Tamoxifen) 10mg/tab |
| OUFUR | Ufur(Tegafur/Urical) 100mg/224mg/cap |
| 08. dextrose, hypertonic, 20% or greater | |
| IGLU50% | Vitagen(Glucose 50%) 20ml/amp |
| 09. dialysis solutions, peritoneal and hemodialysis | |
| 10. epidural or intrathecal medications | |
| IMARCAI | Marcaine |
| IMARCAS | Marcaine |
| IMARCAV | Marcaine |
| 11. hypoglycemics, oral | |
| OACTO03 | Actosmet(Pioglitazone/Metformin) 15mg/850mg/tab |
| OACTOS1 | Politone(Pioglitazone) 30mg/tab |
| OAMAR01 | Amaryl M(Glimepiride/Metformin) 2mg/500mg/tab |
| OAMAR1 | Nonin(Glimepiride) 2mg/tab |
| OAMARYL | Amaryl(Glimepiride) 2mg/tab |
| ODIAM | Gluzide(Gliclazide) 80mg/tab |
| OGALV00 | Galvus(Vildagliptin) 50mg/tab |
| OGLIB5 | Gabemid(Glyburide) 5mg/tab |
| OGLUCO5 | Loditon(Metformin) 500mg/tab |
| OGLUCOB | Acarose(Acarbose) 50mg/tab |
| OJANU00 | Januvia(Sitagliptin) 100mg/tab |
| OJANU02 | Janumet(Sitagliptin/Metformin) 50mg/500mg/tab |
| OMINIDI | Minidiab(Glipizide) 5mg/tab |
| ONOVO01 | Relinide(Repaglinide) 1mg/tab |
| OSTARL | Starlix(Nateglinide) 120mg/tab |
| 12. inotropic medications, IV | |
| IDIGOX | Lanoxin(Digoxin) 0.5mg/2ml/amp |
| 13. insulin, subcutaneous and IV | |



| | |
|--|--|
| IHUMU05 | (門診)Humulin 70/30(Human Insulin) 1000IU/10ml/vial |
| IHUMU06 | (住院)Humulin 70/30(Human Insulin) 1000IU/10ml/vial |
| IHUMU24 | (門診)Humulin N(Human Insulin) 1000IU/10ml/vial |
| IHUMU25 | (住院)Humulin N(Human Insulin) 1000IU/10ml/vial |
| IHUMU33 | (門診)Humulin R(Human Insulin) 1000IU/10ml/vial |
| IHUMU34 | (住院)Humulin R(Human Insulin) 1000IU/10ml/vial |
| ILEVEM | Levemir FlexPen(Insulin Detemir) 300IU/3ml/cartridge |
| IMIX30 | Novomix 30 Penfill(Insulin Aspart) 300IU/3ml/cartridge |
| 14. liposomal forms of drugs and conventional counterparts | |
| 15. moderate sedation agents, IV | |
| IANXIC | Anxicam(Lorazepam) 2mg/1 ml/amp |
| IDORMIC | Dormicum(Midazolam) 5mg/5ml/amp |
| IHALDO | Binin-U(Haldol) 5mg/1 ml/amp |
| IANXIC | Lorazepam 2mg/ml/amp |
| IVALIU | Diazepam 10mg/2ml/amp |
| 16. moderate sedation agents, oral, for children | |
| 17. narcotics/opioids | |
| EFENTA2 | Fentanyl 25mcg/h/patch |
| IFENTA | Fentanyl 0.1mg/2ml/amp |
| IMORPHI | Morphin 10mg/1 ml/amp |
| IPETHI | Pethidine 50mg/1 ml/amp |
| OCODE | Codeine 15mg/tab |
| OTRAM10 | Muaction(Tramadol) 100mg/tab |
| OTRAMA5 | Tramtor(Tramadol) 50mg/cap |
| OULTR | Ultracet(Tramadol/Acetaminophen) 37.5mg/325mg/tab |
| 18. neuromuscular blocking agents | |
| ITRACR | Genso(Atracurium) 25mg/2.5ml/amp |
| 19. parenteral nutrition preparations | |
| 20. radiocontrast agents, IV | |
| IULTRAV | Iopamiro-300(Iopamidol) 100ml/bot |
| IULTR37 | Iopamiro-370(Iopamidol) 100ml/bot |
| IULTRA5 | Iopamiro-300(Iopamidol) 50ml/bot |
| 21. sterile water for injection, inhalation, and irrigation (excluding pour bottles) in containers of 100 mL or more | |
| 22. sodium chloride for injection, hypertonic, greater than 0.9% concentration | |
| INS3 | Sodium Chloride 3% 500ml/bot |



Specific Medications

| 藥品代碼 | 藥品品項 |
|--|--|
| 01. epoprostenol (Flolan), IV | |
| 02. magnesium sulfate injection | |
| IMGSO4 | Magnesium Sulfate 10% 20ml/amp |
| 03. methotrexate, oral, non-oncologic use | |
| 04. opium tincture | |
| OBMS | Liquid Brown Mixture 120ml/bot |
| 05. oxytocin, IV | |
| 06. nitroprusside sodium for injection | |
| INTG1 | Millisrol(Nitroglycerin) 5mg/10ml/amp |
| 07. potassium chloride for injection concentrate | |
| IKCL15 | KCl 15% 10ml/amp |
| 08. potassium phosphates injection | |
| IPOTPH | Potassium Phosphate 224/236mg/ml 20ml/amp |
| 09. promethazine, IV | |
| 10. vasopressin, IV or intraosseous | |
| IPITRE | Pitressin(Arginine Vasopressin) 20unit/amp |

Other Medications

| 藥品代碼 | 藥品品項 |
|---------|-----------------------------|
| ODIGOXI | Lanoxin(Digoxin) 0.25mg/tab |

ISMP 2012 <https://www.ismp.org/tools/highalertmedications.pdf>